# INDEX

**Bergenholtz, J., Brady, J. F. & Vicic, M.** The non-Newtonian rheology of dilute colloidal suspensions, 239–275

**Brady, J. F.** *See* Bergenholtz, Brady & Vicic

**Cattaneo, F., Hughes, D. W. & Thelen, J.-C.** The nonlinear properties of a large-scale dynamo driven by helical forcing, 219–237

**Eames, I.** *See* Flór & Eames

**Flór, J.-B. & Eames, I.** Dynamics of monopolar vortices on a topographic beta-plane, 353–376

**Garrett, S. J. & Peake, N.** The stability and transition of the boundary layer on a rotating sphere, 199–218

**Hughes, D. W.** *See* Cattaneo, Hughes & Thelen

**Iwayama, T., Shepherd, T. G. & Watanabe, T.** An 'ideal' form of decaying two-dimensional turbulence, 183–198

**Kagemoto, H., Murai, M., Saito, M., Molin, B. & Malenica, Š.** Experimental and theoretical analysis of the wave decay along a long array of vertical cylinders, 113–135

**Kelly, R. E.** *See* Or & Kelly

**Kloker, M.** *See* Wassermann & Kloker

**Koch, W.** On the spatio-temporal stability of primary and secondary crossflow vortices in a three-dimensional boundary layer, 85–111

**Li, Y. & Raichlen, F.** Non-breaking and breaking solitary wave run-up, 295–318

**Liñán, A.** *See* Revuelta, Sánchez & Liñán

**Linden, P. F.** *See* Lowe, Linden & Rottman

**Lowe, R. J., Linden, P. F. & Rottman, J. W.** A laboratory study of the velocity structure in an intrusive gravity current, 33–48

**Malenica, Š.** *See* Kagemoto, Murai, Saito, Molin & Malenica

**McIver, M. & Porter, R.** Trapping of waves by a submerged elliptical torus, 277–293

**Messadek, K. & Moreau, R.** An experimental investigation of MHD quasi-two-dimensional turbulent shear flows, 137–159

**Miroshnikov, V. A.** The Boussinesq–Rayleigh approximation for rotational solitary waves on shallow water with uniform vorticity, 1–32

**Molin, B.** *See* Kagemoto, Murai, Saito, Molin & Malenica

**Moreau, R.** *See* Messadek & Moreau

**Murai, M.** *See* Kagemoto, Murai, Saito, Molin & Malenica

**Or, A. C. & Kelly, R. E.** The effects of thermal modulation upon the onset of Marangoni–Bénard convection, 161–182

**Peake, N.** *See* Garrett & Peake

**Porter, R.** *See* McIver & Porter

**Raichlen, F.** *See* Li & Raichlen

**Revuelta, A., Sánchez, A. L. & Liñán, A.** Confined axisymmetric laminar jets with large expansion ratios, 319–352

**Rottman, J. W.** *See* Lowe, Linden & Rottman

**Saito, M.** *See* Kagemoto, Murai, Saito, Molin & Malenica

**Sánchez, A. L.** *See* Revuelta, Sánchez & Liñán

**Shepherd, T. G.** *See* Iwayama, Shepherd & Watanabe

# INDEX

**Bergenholtz, J., Brady, J. F. & Vicic, M.** The non-Newtonian rheology of dilute colloidal suspensions, 239–275

**Brady, J. F.** *See* Bergenholtz, Brady & Vicic

**Cattaneo, F., Hughes, D. W. & Thelen, J.-C.** The nonlinear properties of a large-scale dynamo driven by helical forcing, 219–237

**Eames, I.** *See* Flór & Eames

**Flór, J.-B. & Eames, I.** Dynamics of monopolar vortices on a topographic beta-plane, 353–376

**Garrett, S. J. & Peake, N.** The stability and transition of the boundary layer on a rotating sphere, 199–218

**Hughes, D. W.** *See* Cattaneo, Hughes & Thelen

**Iwayama, T., Shepherd, T. G. & Watanabe, T.** An 'ideal' form of decaying two-dimensional turbulence, 183–198

**Kagemoto, H., Murai, M., Saito, M., Molin, B. & Malenica, Š.** Experimental and theoretical analysis of the wave decay along a long array of vertical cylinders, 113–135

**Kelly, R. E.** *See* Or & Kelly

**Kloker, M.** *See* Wassermann & Kloker

**Koch, W.** On the spatio-temporal stability of primary and secondary crossflow vortices in a three-dimensional boundary layer, 85–111

**Li, Y. & Raichlen, F.** Non-breaking and breaking solitary wave run-up, 295–318

**Liñán, A.** *See* Revuelta, Sánchez & Liñán

**Linden, P. F.** *See* Lowe, Linden & Rottman

**Lowe, R. J., Linden, P. F. & Rottman, J. W.** A laboratory study of the velocity structure in an intrusive gravity current, 33–48

**Malenica, Š.** *See* Kagemoto, Murai, Saito, Molin & Malenica

**McIver, M. & Porter, R.** Trapping of waves by a submerged elliptical torus, 277–293

**Messadek, K. & Moreau, R.** An experimental investigation of MHD quasi-two-dimensional turbulent shear flows, 137–159

**Miroshnikov, V. A.** The Boussinesq–Rayleigh approximation for rotational solitary waves on shallow water with uniform vorticity, 1–32

**Molin, B.** *See* Kagemoto, Murai, Saito, Molin & Malenica

**Moreau, R.** *See* Messadek & Moreau

**Murai, M.** *See* Kagemoto, Murai, Saito, Molin & Malenica

**Or, A. C. & Kelly, R. E.** The effects of thermal modulation upon the onset of Marangoni–Bénard convection, 161–182

**Peake, N.** *See* Garrett & Peake

**Porter, R.** *See* McIver & Porter

**Raichlen, F.** *See* Li & Raichlen

**Revuelta, A., Sánchez, A. L. & Liñán, A.** Confined axisymmetric laminar jets with large expansion ratios, 319–352

**Rottman, J. W.** *See* Lowe, Linden & Rottman

**Saito, M.** *See* Kagemoto, Murai, Saito, Molin & Malenica

**Sánchez, A. L.** *See* Revuelta, Sánchez & Liñán

**Shepherd, T. G.** *See* Iwayama, Shepherd & Watanabe

**Sugimoto, N. & Tsujimoto, K.** Amplification of energy flux of nonlinear acoustic waves in a gas-filled tube under an axial temperature gradient, 377–409

**Thelen, J.-C.** *See* Cattaneo, Hughes & Thelen

**Tsujimoto, K.** *See* Sugimoto & Tsujimoto

**Vicic, M.** *See* Bergenholtz, Brady & Vicic

**Wassermann, P. & Kloker, M.** Mechanisms and passive control of crossflow-vortex-induced transition in a three-dimensional boundary layer, 49–84

**Watanabe, T.** *See* Iwayama, Shepherd & Watanabe